EAST Search History

10/782,511

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	147	(web adj page) with (collaborat$4 with (data or service or information)) and @ad < "20040218"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 20:25
L2	129	L1 and (select$3 or quer$4 or retriev$4) and stor$4 and (updat$4 or modif$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 20:22
L3	43	L1 and (select$3 or quer$4 or retriev$4) and stor$4 and (updat$4 or modif$5) and spreadsheet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 20:22
L4	43	L1 and (select$3 or quer$4 or retriev$4) and stor$4 and (updat$4 or modif$5) and spreadsheet and ((local or client or user) with stor$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 20:22
L5	33	L1 and (select$3 or quer$4 or retriev$4) and stor$4 and (updat$4 or modif$5) and spreadsheet and ((local or client or user) with stor$4) and (collaborat$4 adj data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 20:22
L6	1	L1 and (select$3 or quer$4 or retriev$4) and stor$4 and (updat$4 or modif$5) and spreadsheet and ((local or client or user) with stor$4 with (collaborat$4 adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 20:22
L7	33	(web adj page) with (co$1llaborat$4 with (data or service or information)) and @ad < "20040218" and (select$3 or quer$4 or retriev$4) and stor$4 and (updat$4 or modif$5) and spreadsheet and ((local or client or user) with stor$4) and (co$1llaborat$4 adj data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 20:22
L8	4	707/10.ccls. and L7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 20:22

L9	1	707/101.ccls. and L7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 20:22
L10	8	"20050027696" or "20050050021" or "20040267871" or "20020026478"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 20:22
L11	4	"20050027696" or "20050050021" or "20040267871" or "20020026478"	US-PGPUB	OR	ON	2007/02/01 20:22
L12	8	"20050027696" or "20050050021" or "20040267871" or "20020026478"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 20:22
L13	8	"20050027696" or "20050050021" or "20040267871" or "20020026478"	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 20:22
L14	2	(web adj page) with (co$1llaborat$4 with (data or service or information)) and @ad < "20040218" and (select$3 or quer$4 or retriev$4) and stor$4 and (updat$4 or modif$5) and spreadsheet and ((local or client or user) with stor$4) and (co$1llaborat$4 adj data) and ("20050027696" or "20050050021" or "20040267871" or "20020026478")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 20:22
L15	2	(web adj page) with (co$1llaborat$4 with (data or service or information)) and @ad < "20040218" and (select$3 or quer$4 or retriev$4) and stor$4 and (updat$4 or modif$5) and spreadsheet and ((local or client or user) with stor$4) and (co$1llaborat$4 adj data) and ("20050027696" or "20050050021" or "20040267871" or "20020026478")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 20:22
L16	147	(web adj page) with (collaborat$4 with (data or service or information)) and @ad < "20040218"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 20:22

EAST Search History

L17	4	L16 and (select$3 or quer$4 or retriev$4) and stor$4 and (updat$4 or modif$5) and spreadsheet and ((local or client or user) with stor$4) and ("20050027696" or "20050050021" or "20040267871" or "20020026478")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 20:22
L18	1	L16 and (select$3 or quer$4 or retriev$4) and stor$4 and (updat$4 or modif$5) and spreadsheet and ((local or client or user) with stor$4) and "20050050021"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 20:22
L19	1	L18 and collabor$6 and "web page"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 20:22
L20	33	(web adj page) with (co$1llaborat$4 with (data or service or information)) and @ad < "20040218" and (select$3 or quer$4 or retriev$4) and stor$4 and (updat$4 or modif$5) and spreadsheet and ((local or client or user) with stor$4) and (co$1llaborat$4 adj data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 20:22
L21	0	707/3.ccls. and L20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 20:22
L22	2	"20050065973"	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 20:22
L23	0	(web adj page) with (collaborat$4 with (data or service or information)) and @ad < "20040218" and David.in. and Gainer.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 20:26
L24	0	(web adj page) with (collaborat$4 with (data or service or information)) and David.in. and Gainer.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 20:26
L25	0	(web adj page) with (collaborat$4 with (data or service or information)) and sigler.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 20:27

EAST Search History

S1	143	(web adj page) with (collaborat$4 with (data or service or information)) and @ad < "20040218"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 11:22
S2	125	S1 and (select$3 or quer$4 or retriev$4) and stor$4 and (updat$4 or modif$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 11:24
S3	42	S1 and (select$3 or quer$4 or retriev$4) and stor$4 and (updat$4 or modif$5) and spreadsheet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 11:24
S4	42	S1 and (select$3 or quer$4 or retriev$4) and stor$4 and (updat$4 or modif$5) and spreadsheet and ((local or client or user) with stor$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 12:03
S5	33	S1 and (select$3 or quer$4 or retriev$4) and stor$4 and (updat$4 or modif$5) and spreadsheet and ((local or client or user) with stor$4) and (collaborat$4 adj data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 11:32
S6	1	S1 and (select$3 or quer$4 or retriev$4) and stor$4 and (updat$4 or modif$5) and spreadsheet and ((local or client or user) with stor$4 with (collaborat$4 adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 11:31
S7	33	(web adj page) with (co$1llaborat$4 with (data or service or information)) and @ad < "20040218" and (select$3 or quer$4 or retriev$4) and stor$4 and (updat$4 or modif$5) and spreadsheet and ((local or client or user) with stor$4) and (co$1llaborat$4 adj data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 12:00
S8	4	707/10.ccls. and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 15:35
S9	1	707/101.ccls. and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 11:49

S10	8	"20050027696" or "20050050021" or "20040267871" or "20020026478"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 11:51
S11	8	"20050027696" or "20050050021" or "20040267871" or "20020026478"	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 16:28
S12	4	"20050027696" or "20050050021" or "20040267871" or "20020026478"	US-PGPUB	OR	ON	2006/08/12 12:00
S13	8	"20050027696" or "20050050021" or "20040267871" or "20020026478"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 11:56
S14	2	(web adj page) with (co$1llaborat$4 with (data or service or information)) and @ad < "20040218" and (select$3 or quer$4 or retriev$4) and stor$4 and (updat$4 or modif$5) and spreadsheet and ((local or client or user) with stor$4) and (co$1llaborat$4 adj data) and ("20050027696" or "20050050021" or "20040267871" or "20020026478")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 12:01
S15	2	(web adj page) with (co$1llaborat$4 with (data or service or information)) and @ad < "20040218" and (select$3 or quer$4 or retriev$4) and stor$4 and (updat$4 or modif$5) and spreadsheet and ((local or client or user) with stor$4) and (co$1llaborat$4 adj data) and ("20050027696" or "20050050021" or "20040267871" or "20020026478")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 12:01
S16	143	(web adj page) with (collaborat$4 with (data or service or information)) and @ad < "20040218"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 12:03

S17	4	S16 and (select$3 or quer$4 or retriev$4) and stor$4 and (updat$4 or modif$5) and spreadsheet and ((local or client or user) with stor$4) and ("20050027696" or "20050050021" or "20040267871" or "20020026478")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2006/08/12 13:19
S18	1	S16 and (select$3 or quer$4 or retriev$4) and stor$4 and (updat$4 or modif$5) and spreadsheet and ((local or client or user) with stor$4) and "20050050021"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 15:28
S19	1	S18 and collabor$6 and "web page"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 13:19
S20	33	(web adj page) with (co$1llaborat$4 with (data or service or information)) and @ad < "20040218" and (select$3 or quer$4 or retriev$4) and stor$4 and (updat$4 or modif$5) and spreadsheet and ((local or client or user) with stor$4) and (co$1llaborat$4 adj data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 15:35
S21	0	707/3.ccls. and S20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 15:35
S22	2	"20050065973"	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 16:28